See all emulators



Program	Use
Yamaha	• **Yamaha motorbikes and scooters from 2004 to 2010** ◦ YZF R1 / YZF R6 ◦ FZ6 N / FZ6 S ◦ T-MAX ◦ X-MAX ◦ V-MAX and others

See all emulators

Wiring colour codes



The LED behavior

-diagnostic mode - it flashes every second

adjusting to the ECU – flashing 0,1 sec

after adjusting it lights constantly and blinks every other second

See all emulators

Yamaha

Connecting Emulator to the wiring is presented in the pictures below:



Connect code line by pressing the RESET button. In order to start the motorbike you first need to press and hold the RESET button, then turn the ignition and then release the RESET button. Now you can start the engine.

The wires:
Red with green stripe and grey - cover with insulation tape



See all emulators

Copyright © 2012 Iwona Piotrowska

If a fuel pump does not work during turning the ignition, this is a symptom of immobiliser malfunction.
In such an event, you can use this emulator.

See all emulators

Warning!!!

Due to possible construction changes of cars, check signals with multimeter in the ECU plug.

All rights reserved.
Unauthorized copying, hiring, lending, public performance will be punished!

We state that we are the only authentic authors of this manual. We possess copyright of this publication. Any trials of unauthorized copying, hiring, quoting prohibited!!! Both service and advertisement constitute copyright and they are the subject to the protection in accordance with the Act from 4th Feb. 1994 on Copyright and Related Laws (Statute Book no. 24 position 93) and protection on the basis of the Act from 8th June 1993 on combating an unfair competition (Statute Book no. 47 position 211)

www.carlabimmo.com

Last updated 11.09.2018